

Forticrete®

Declaration of Performance Information Resource

Product Search Guidelines

The simplest way to find a product Declaration of Performance (DoP) is to enter the Forticrete Product Code, which can generally be found on the pack label or delivery documentation.

- Architectural Masonry codes begin with the prefix “**THO/**”
- Cast Stone codes begin with the prefix “**CEB/**” or “**MAS/**”
- Roofing codes begin with the prefix “**BUZ/**” or “**STR/**”
- Walling codes begin with the prefix “**ANS/**” or “**SHE/**”

This prefix is generally followed by a four digit product group code, an alpha-numeric shape/size code, and in some cases, a colour code.

What do I do if I do not know the full Product Code?

If the full product code is not known then a search can be carried out using keywords from the description of the product.

Search descriptions for Architectural Masonry:

As the search engine works in a strict order the following table can be used to structure your search:

A	B		C	D
Range	Configuration Types		Size/Shape Code	Colour
Fairface	Solid	Hf Cill Kicker	From catalogue but note Splitface always use two digits eg S04 not S4	Colour in catalogue
Shot-blasted	Hi-Light	Int Cill		
Shot-blasted Sparstone	Hollow	Jamb		
Splitface	Specials Bullnose	135 Ext Cill		
Splitface Sparstone	Quoin	135 Int Cill		
Venezia	135 Quoin	Plinth		
Splitface Ribloc	Cill	Plinth End		
Florentine	Hf Solid	Lintel		
Novastone	Hf Hollow	Hf Lintel		
Granito	Hf Quoin	Bond Beam		
	Cavity Closer	Twinbloc Solid		
	Hf Cav Closer	Twinbloc Quoin		
	Hf Cill	Ribloc Solid		
	Quoin Cill	Ribloc Quoin		
	Hf Quoin Cill	3/4 lgth Return		
	Cill Kicker			

Forticrete®

The search should start with the name of the product range from column A if known (e.g. Florentine), then the configuration from column B (Solid, Hollow, HF Hollow, HI-LIGHT), followed by the appropriate size code for the configuration (these can be found in Forticrete literature).

Examples are as follows:

- Florentine Solid D1
- Florentine Hollow P3
- Florentine HI-LIGHT H2
- Florentine HF Hollow R10

The above searches will return all available colours for the description. To narrow the results, the colour can be added to the search. For example:

- Florentine Solid D1 Yorkstone
- Florentine Hollow P3 Hamstone
- Florentine HI-LIGHT H2 Terracotta
- Florentine HF Hollow R10 Straw

A search can be performed by using a single term from any of the individual columns A to D but this will result in a higher number of results.

A search that contained values from column B, C, and D only, would return all of the ranges that that particular product is available in. For example:

- Solid D1 Yorkstone

Would be available in Venezia, Florentine, Fairface, Shot-blasted, Shot-blasted Twinbloc, and Fairface Twinbloc.

Forticrete®

Search descriptions for Roofing:

If the full code is not available then the following common partial codes or alternative search term descriptions should help:

Common Code	OR	A	B		
Partial Code Search		Range	Colour		
BUZ/7903		Centurion	Slate Grey Brown Red Rustic Autumn		
BUZ/7908		Gemini	Slate Grey Brown Red Rustic Autumn	Welsh Blue Brindle Jacobean Black Sunrise Blend	Mixed Russet Ember Blend Mercia Blend
BUZ/7917		Minislate	Slate Grey Welsh Blue		
BUZ/7902		Senator	Slate Grey Brown Red Rustic Autumn		
BUZ/7909		V2	Red Rustic Autumn		
BUZ/7911		V2	Brown Sand Faced Red Sand Faced		
STR/7963		Hardrow Solos	Brown Orange Red Yellow Thatch	Green Moss Light Grey Dark Grey Oldstone	
STR/7966		Hardrow Duets	Barley Harvest Forest Glade Dusk	Twilight Wheat Ember Sunset Spice	
STR/7975		Hardrow Ridge	Solo and Duet Colours		
BUZ/7907		Plain	Slate Grey Brown Red Rustic Autumn	Brindle Jacobean Black Rs Grey Sunrise Blend	Mixed Russet Ember Blend

Forticrete®

Search descriptions for Walling:

If the full code is not available, typing any of the following descriptions into the search field will bring up all sizes within the range:

- Anstone Premier Pitched
- Anstone Premier Split
- Anstone Premier Cottage
- Anstone Standard Pitched
- Anstone Standard Split
- Anstone Standard Cottage
- Anstone Special
- Shearstone Premier Pitched
- Shearstone Premier Split
- Shearstone Premier Cottage
- Shearstone Standard Pitched
- Shearstone Standard Split
- Shearstone Standard Cottage
- Kiveton Walling

The individual product colours are not displayed in the Declarations of Performance for Walling products.

Search descriptions for Cast Stone:

In the case of Cast Stone products, if the full code is not available, then typing the product code found in the Forticrete literature will generally bring up the Declaration of Performance. The description can also be used as an additional filter.

Please note that Cast Stone items that contain reinforcement and/or fixings cannot be CE marked under BS EN 771-5:2011. Items with any dimension greater than 650mm cannot be CE marked either, unless the product is a Structural Head, in which case it can be CE marked under BS EN 845-2:2003.

In all of the above cases if the information cannot be found please contact technical@forticrete.co.uk for further assistance.